

### CLAIMS LISTING

The claims remain in their present state, but are listed herein for reference.

1-37. (Cancelled)

38. (Previously Presented) A method implemented in a digital home communication terminal (DHCT) for adapting to resource constraints of the DHCT, said method comprising steps of:

determining whether a resource-constrained mode is to be initiated;

responsive to determining that the resource-constrained mode is to be initiated, initiating the resource-constrained mode, including:

retrieving a set of reconstructed decompressed video data from a first portion of a memory component, wherein the memory component stores compressed video data in a distinct second portion, wherein the set of video data corresponds to a video picture; and

transferring the set of retrieved reconstructed decompressed video data to a display device while downscaling the video picture in transit to the display device.

39. (Cancelled)

40-50. (Cancelled)

51-52. (Cancelled)

53. (Previously Presented) A method implemented in a digital home communication terminal (DHCT) for adapting to resource constraints, said method comprising steps of:

determining whether a resource-constrained mode is to be initiated;

responsive to determining that the resource-constrained mode is to be initiated, initiating the resource-constrained mode, including:

retrieving, from a first portion of a memory component, a set of compressed pictures;

storing, in a second and distinct portion of the memory component, a set of decoded pictures corresponding to the set of compressed pictures, each of the set of decoded pictures being at a first spatial resolution;

retrieving, from the second and distinct portion of the memory component, the set of decoded pictures; and

transferring the retrieved set of decoded pictures to a display device while scaling the pictures in transit to the display device to a second spatial resolution without storing the pictures in the memory component, wherein the second spatial resolution is smaller than the first spatial resolution.

54. (Previously Presented) A digital home communication terminal (DHCT) comprising :  
logic configured to determine whether a resource-constrained mode is to be initiated;  
logic configured to, responsive to determining that the resource-constrained mode is to be initiated, initiate the resource-constrained mode, including:

logic configured to retrieve, from a first portion of a memory component, a set of compressed pictures;

logic configured to store, in a second and distinct portion of the memory component, a set of decoded pictures corresponding to the set of compressed pictures, each of the set of decoded pictures being at a first spatial resolution;

logic configured to retrieve, from the memory component, the set of decoded pictures; and

logic configured to transfer the set of decoded pictures to a display device while scaling the pictures in transit to the display device to a second spatial resolution without storing the pictures in the memory component, wherein the second spatial resolution is smaller than the first spatial resolution.

55. (Previously Presented) A method implemented in a digital home communication terminal (DHCT) for adapting to resource constraints, said method comprising steps of:

receiving, in a memory component, video data comprising a complete picture ;

determining whether a resource-constrained mode is to be initiated;

responsive to determining that the resource-constrained mode is to be initiated, initiating the resource-constrained mode, including:

retrieving the video data from the memory component; and

transferring the retrieved video data to a display device while downscaling the video picture in transit to the display device.

56-60. (Cancelled)

61-64. (Cancelled)

65. (Cancelled)

66. (Previously Presented) A computer readable medium containing a program for use in a digital home communication terminal (DHCT) to adapt to resource constraints, the program comprising logic for performing the steps of:

receiving, in a memory component, video data comprising a complete picture;

determining whether a resource-constrained mode is to be initiated;

responsive to determining that the resource-constrained mode is to be initiated, initiating the resource-constrained mode, including:

retrieving the video data from the memory component; and

transferring the retrieved video data to a display device while downscaling the video picture in transit to the display device.

67. (Previously Presented) The computer readable medium of claim 66, the program further comprising logic for performing the step of:

transmitting graphics data to the display device, wherein the graphics data is displayed contemporaneously with the scaled video data.

68. (Previously Presented) The computer readable medium of claim 66, wherein the downscaling comprises horizontal scaling.

69. (Previously Presented) The computer readable medium of claim 66, wherein the downscaling comprises vertical scaling.

70. (Previously Presented) The computer readable medium of claim 66, wherein the downscaled video picture is not stored in the memory component.

71. (Previously Presented) The method of claim 38, further comprising:

transmitting graphics data to the display device, wherein the graphics data is displayed contemporaneously with the downscaled video data.

72. (Previously Presented) The method of claim 38, wherein the downscaling comprises horizontal scaling.

73. (Previously Presented) The method of claim 38, wherein the downscaling comprises vertical scaling.

74. (Previously Presented) The method of claim 53, further comprising the step of: transmitting graphics data to the display device, wherein the graphics data is displayed contemporaneously with the scaled video data.

75. (Previously Presented) The method of claim 53, wherein the scaling comprises downscaling.

76. (Previously Presented) The method of claim 53, wherein the scaling comprises horizontal scaling.

77. (Previously Presented) The method of claim 53, wherein the scaling comprises vertical scaling.

78. (Previously Presented) The DHCT of claim 54, wherein the system is further configured to:

transmit graphics data to the display device, wherein the graphics data is displayed contemporaneously with the scaled pictures.

79. (Previously Presented) The DHCT of claim 54, wherein the scaling comprises downscaling.

80. (Previously Presented) The DHCT of claim 54, wherein the scaling comprises horizontal downscaling.

81. (Previously Presented) The DHCT of claim 54, wherein the scaling comprises vertical downscaling.

82. (Previously Presented) The method of claim 55, further comprising the step of:  
transmitting graphics data to the display device, wherein the graphics data is displayed  
contemporaneously with the scaled video data.

83. (Previously Presented) The method of claim 55, wherein the downscaling  
comprises horizontal scaling.

84. (Previously Presented) The method of claim 55, wherein the downscaling  
comprises vertical scaling.